

HL-4140CN**DR320/ TN320/ TN325****High Speed Network-ready Colour Laser Printer**

Small businesses often have to work harder to make a big impression. But not anymore, thanks to the HL-4140CNs affordable, professional quality colour laser printing. It'll help you work more efficiently too, saving time with high speed 22 pages per minute colour and mono printing plus a large paper capacity (up to 800 pages with the optional tray) for less refilling. Network connectivity makes it easy to share between up to five users, while for sensitive documents PIN-protected printing keeps everything secure and restricts access to help manage costs. There's also the option of long-lasting high yield toners, to reduce running costs – a big plus for any size business!

Catalogue Spec

- Feature packed colour laser printer ideal for 1 to 5 users
- Fast 22ppm mono and colour printing
- First page out in less than 16 seconds
- Extra flexibility with network connectivity making sharing easy
- Easy install and cost effective individual supplies
- Built-in LCD screen allows PIN protected secure printing
- Increase efficiency with the direct print via the USB Host port
- Large 250 sheet tray and 50 sheet multi purpose tray
- Boost paper capacity to 800 sheets with the 500 sheet optional tray
- Reduce cost with longer lasting high yield toners
- Added peace of mind with free 12-month warranty and lifetime technical support

Detailed Spec

General

Technology	Electrophotographic laser printer (single pass)
Processor	400MHz (StarSaphire (SS1000))
Print speed	22 pages per minute colour & mono
Resolution	Up to 2,400 x 600dpi resolution (2,400dpi class)
Local interface	Hi-Speed USB 2.0
Wired network interface	Built in 10/100 Base-TX Network
Memory	128MB (expandable up to 384MB, using industry standard 1 x DDR2 (144 PIN) slot)
First print out time	Less than 16 seconds (from ready mode)
Warm up time	Less than 31 seconds (from sleep mode)
Print language	PCL6, BR-Script3 (Postscript [®] 3 Language Emulation)
Residential PCL fonts	66 scalable fonts, 12 bitmap fonts, 13 bar codes
Residential BR-Script3 fonts	66 scalable fonts

Control Panel

LCD display	2-line, 16 characters backlit green
LED's	Data LED (green) & error LED (orange)
Buttons	There are 7 buttons, +, -, OK, Back, Secure Print, Go, Cancel

Printer Driver

Windows [®]	Windows 7 [®] (32 & 64 bit editions), Windows Vista [®] (32 & 64 bit editions), Windows XP Home Edition, Windows XP Professional (32 & 64 bit editions), Windows [®] 2000 Professional, Windows Server [®] 2003 (Network only / 32 bit & 64 bit editions), Windows Server [®] 2008 (Network only / 32 bit & 64 editions), Windows Server [®] 2008 R2 (Network only), Windows [®] Terminal Services 2003 & 2008, Citrix Presentation Server [®] , Citrix XenApp [®]
Apple Macintosh [®]	Mac OS X 10.4.11, 10.5.x, 10.6.x
Linux ^{***}	CUPS printing system(x86, x64 environment), Linux printer driver for LPD/LPRng printing system(x86, x64 environment).

USB Direct Interface

Direct print	Print directly from a USB Flash Memory Drive
Supported file formats	PDF version 1.7, JPEG, Exif + JPEG, PRN (created by HL-4150CDN series printer driver), TIFF (scanned by Brother model), XPS version 1.0

Printer Driver Features

N-up printing	Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page
Poster printing [†]	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact
Header & footer print [†]	Print the time & date &/or the user ID on the documents
Watermark printing [†]	Add predefined text or user-defined messages to your documents as a watermark
Booklet printing [†]	Print easy-to-read, professional documents in A5 booklet format using automatic duplex
Secure print ^{††}	Protect your print jobs with a PIN number
Colour control tool	Edit the colour settings in the printer driver to get more accurate colours

Security Features

Setting lock	Lock down the control panel to stop unwanted user access
Colour restrict	Colour restriction tool from printer driver
Secure function lock v2	Configure individual access restrictions by user and by function
Secure printing with SSL	IPP based encryption, already widely used in e-commerce to protect financial & sensitive information
IP filter	MAC address based access restriction
802.1x	LAN Security [Network Access Control]

Network Management Utilities

Web based management	Web browser print server management
BRAdmin Light	For setup & small LAN management
BRAdmin Professional 3 ^{***}	For LAN / WAN management using a Windows [®] PC
Web BRAdmin ^{***}	Server based management utility for your printer fleet / Windows [®] IIS (4.0/5.0/5.1/6.0/7.0/7.5) modes only
BRPrint Auditor ^{***}	For basic local (USB) device status and usage monitoring
E-mail reports	Reports containing basic usage data sent to a nominated e-mail address on a cyclical basis
Print log	User level usage data recorded to either a text or csv file direct to a network folder
E-mail notifications	Alerts sent to a nominated e-mail address when anything which can disrupt printing activity occurs
Driver Deployment Wizard ^{***}	A quick & easy way to deploy Brother printer drivers on a networked Windows [®] PC

[†] Windows[®] only

^{††} Windows[®] & Apple Macintosh only

Network Protocols & Security

Network protocols

IPv4	TCP/IP (IPv4 & IPv6) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNr responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client & server, SMTP Client, SNMPv1/v2c/v3, ICMP, LLTD responder, WebServicePrint, CIFS client, SNTP client
IPv6 (off by default)	NDP, RA, DNS resolver, mDNS, LLMNr responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Client & Server, TELNET Server, HTTP/HTTPS server, TFTP client & server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, LLTD responder, WebServicesPrint, CIFS Client, SNTP Client

Network security

Wired network security	APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos
------------------------	---

Paper Handling

Paper Input**

Standard tray	250 sheets
Multipurpose tray	50 sheets
Optional lower tray	500 sheets
Maximum paper input	800 sheets

Paper Output**

Standard paper output	150 sheets [face down]
Rear exit straight paper path	1 sheet [face up]

Media Specifications

Media types

Standard & Optional trays	Plain paper, thin paper, recycled paper
Multipurpose tray	Plain paper, thin paper, thick paper, thicker paper, recycled paper, bond, label, envelopes (Thick & thin), glossy paper

Media Weights

Standard & Optional trays	60 to 105g/m2 (16 to 28lb)
Multipurpose tray	60 to 163g/m2 (16 to 43lb)

Media Sizes

Standard & Optional trays	A4, letter, B5 (ISO/JIS), A5, A5 (long edge), B6 (ISO), A6, executive, legal, folio
Multipurpose tray	Width (76.2 – 220mm) x Length (116.0 x 406.4)

Supplies

Standard yield toners

Mono toner	(TN-320BK)	2,500 pages*
Cyan toner	(TN-320C)	1,500 pages*
Magenta toner	(TN-320M)	1,500 pages*
Yellow toner	(TN-320Y)	1,500 pages*

High yield toners

Mono toner	(TN-325BK)	4,000 pages*
Cyan toner	(TN-325C)	3,500 pages*
Magenta toner	(TN-325M)	3,500 pages*
Yellow toner	(TN-325Y)	3,500 pages*

Other supplies

Drum	(DR-320CL)	25,000 A4 pages (one page per job)
Belt unit	(BU-300CL)	Up to 50,000 A4 (one page per job)
Waste toner box	(WT-300CL)	Up to 50,000 pages

The frequency of replacement of consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, & the type of media.

Optional Accessories

500 sheet lower tray	(LT-300CL):	Expanding the total paper input to 800 sheets
Memory:		Memory expandable up to 384MB total using industry standard 1 x DDR2 (16 bit, 144 pin) (Not available from Brother)

Dimensions & Weights (with consumables)

With Carton

Dimensions 650(W) x 574(D) x 521(H) mm
Weight 25.5Kg

Without Carton

Dimensions 410(W) x 486(D) x 313(H) mm
Weight 21.0Kg

Power Consumption

Printing Average 560w
Ready Average 65w
Deep Sleep Average 0.9w
TEC value 1.46 kWh / Week

Sound Pressure Level

Printing LpAm = 57 dB(A)
Ready LpAm = 33 dB(A)

Sound Power Level

Printing [Colour] LWAd = 6.71 B(A)
Ready LWAd = 4.07 B(A)

Ecology

Power Saving This enables the printer to consume less energy when not in use.
Toner Saving This reduces the toner usage & helps to reduce the total cost of printer ownership.

Duty Cycles

Recommended 300 – 3,000 pages monthly print volume
Maximum 40,000 pages monthly print volume

Contents

Mono toner cartridge (K): 2,500 pages*
Colour toner cartridges (C, M, Y): 1,500 pages*
Drum unit: up to 25,000 pages
Power supply cord
Driver software for Windows & Apple Macintosh
Quick Set-up Guide
PC interface cable **NOT** included

- * Cartridge yield is declared in accordance with ISO/IEC19798.
- ** Calculated with 80g/m² paper
- *** Downloaded free of charge from Brother's Solutions Centre <http://solutions.brother.com>
- † Windows[®] only
- †† Windows[®] & Apple Macintosh only