

HL-5340D

TN3230/ TN3280/ DR3200

Mono Laser Printer with double-sided printing



Copy

The last thing you need when you're busy is your printer slowing you down. So you need one that can handle the pace – like the HL-5340D. It prints 30 pages per minute, has a large paper capacity (so you won't forever be changing paper), and to save you both time and money, features double-sided printing.

Catalogue Spec

- Award winning laser printer that's ideal for the office
- Fast 30 pages per minute printing
- Save on paper cost with double sided printing as standard
- Cost saving separate drum and toner
- High yield toner option offering even more cost effective printing
- Time saving 250 sheet paper capacity
- Optional paper trays boost paper capacity to 750 sheets
- 12 months warranty and lifetime technical support
- Energy Star certified meaning low energy usage

Detailed Spec

General

Technology	Electrophotographic Laser Printer
Class 1 Laser Product	IEC60825-1+A2:2001
Processor	NEC VR5500 300MHz
Print Speed – Standard (A4)	30 pages per minute
Print Speed – Duplex (A4)	13 sides per minute (6.5 sheets per minute)
Resolution	1,200 x 1,200dpi & 600 x 600dpi
Interface	Hi-Speed USB 2.0 & IEEE 1284 Parallel
Memory	16MB (Expandable up to 528MB, using industry standard 1 x SO-DIMM (144 PIN) slot)
First Print Out Time	Less than 8.5 seconds from ready mode
Warm-up Time	Less than 18 seconds from sleep mode
Print Language	PCL [®] 6, BR-Script3 (Postscript [®] 3 Language Emulation), IBM Proprinter XL, Epson FX-850

Control Panel

LED's	There are 5 LED's, Toner, Drum, Paper, Back Cover and 3 colour Status LED
Buttons	There are 2 buttons Go, Job Cancel

Printer Driver

Windows [®]	Windows Vista [®] , Windows Server 2008 (32 & 64 bit editions), Windows [®] XP Home Edition, Windows [®] XP Professional (32 & 64 bit editions), Windows [®] Server 2003 (32 & 64 bit editions), Windows [®] 2000
Macintosh [®]	Macintosh Printer Driver for Mac OS X 10.3.9 or greater
Linux	Linux printer driver for CUPS printing system(x86, x64 environment) Linux printer driver for LPD/LPRng printing system(x86, x64 environment)"

Printer Driver Functions

N-up Printing ††	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page
Poster Printing †	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages
Watermark Printing †	Watermark your documents with predefined text or with your own user-defined messages
Booklet Printing †	Print documents in A5 Booklet format using manual duplex

Paper Handling

Paper Input**	Standard Tray: 250 sheets Multi-Purpose Tray: 50 sheets Optional Lower Tray: 2 x 250 sheets
Paper Output**	Face Down: 150 sheets Face Up: 1 sheet
Automatic Duplex	Yes
Manual Duplex ††	Yes

Media Specifications

Media Types	Standard Tray: Plain paper, Bond Paper, Recycled Paper, Transparencies (up to 10 sheets) Multi-Purpose Tray: Plain paper, Thick Paper, Bond Paper, Recycled Paper, Envelopes, Labels, Transparencies (up to 10 sheets) Optional Tray: Thin Paper, Plain Paper, Bond Paper, Recycled Paper
Media Weights	Standard Tray: 60 – 105g/m ² Multi-Purpose Tray: 60 – 163g/m ² Optional Tray: 60 – 105g/m ²
Media Sizes	Standard Tray: A4, Letter, B5 (ISO), A5, A5 (Long Edge), B6 (ISO), A6, Executive Multi-Purpose Tray: Width (69.8 – 216mm) x Length (116 x 406.4) Optional Tray: A4, Letter, ISOB5, A5, ISOB6, Executive Duplex: A4

Supplies

Toner	TN-3230: Standard yield of Approx. 3,000 pages* TN-3280: High yield of Approx. 8,000 pages*
Drum	DR-3200: Approx. 25,000 A4 Pages (one page per job)

The frequency of replacement of consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media. For example glossy coated paper will result in a shortened life of such supplies.

Accessories

Optional Lower Tray	LT-5300: 250 sheet paper tray (maximum 2)
Additional Memory	Expandable up to 528MB total using industry standard 144pin DIMM cards (Not available from Brother)

Dimensions & Weights

Dimensions (W x D x H)	371 x 384 x 246 mm (14.6" x 15.1" x 9.7")
Weight (W x D x H)	9.5 kg / 20.9lb
Carton dimensions	486 x 500 x 455 mm (19.1" x 19.7" x 17.9")
Carton weight	11.70kg / 25.8lb

Power Consumption

Printing	Average 675w at 25c
Ready	Average 75w at 25c
Sleep	Average 6w at 25c

Sound Pressure Level

Printing	Less than 54 dB
Ready	Less than 35 dB

Sound Power Level

Printing	Less than 6.95B
Ready	Less than 4.8B

Environment

Power Saving	This enables the printer to consume less energy when not in use
Toner Saving	This reduces the toner usage and helps to reduce the total cost of printer ownership
Energy Star	Yes

Duty Cycles

Recommended Monthly	500 – 3,500 pages monthly print volume
Maximum Monthly	20,000 pages monthly print volume

Contents

Toner Cartridge (Approx. 3,000 pages*)
 Drum Unit (Approx. 25,000 pages)
 Power Supply Cord
 Driver Software for Windows and Mac
 Quick Set-up Guide
 PC Interface cable **NOT** included

* Declared yield value in accordance with ISO/IEC19752.

** Calculated with 80g/m² paper

† Windows[®] only

†† Windows[®] & Mac[®] only